

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

*Duty*  
1. (Currently Amended) An absorbent product comprising:  
a casing, an outer side of the casing being distal from a body of a wearer of the product in use and an inner side of the casing being proximal to the body of the wearer of the product in use, said casing having a front part, a rear part, a crotch part lying between the front part and rear part, and an absorbent structure; and  
a fastening system for attaching opposing side portions of the front part and the rear part to each other;  
the fastening system comprising at least two cooperating fastening elements, wherein a first of the elements functions as a landing zone for a second of the elements, and the first of the elements is attached to the front part of the ~~casing~~ casing;  
and the first element comprises at least one skewing-preventing part, wherein the at least one skewing-preventing part is adapted to adhere to the rear part of the casing; and  
the first element comprises a landing zone having two lateral sides and a skewing-preventing part on each of the two lateral sides.

2. (Canceled)

3. (Original) The absorbent product according to claim 1, wherein the first element is divided into two separate pieces, each piece comprising a landing zone and a skewing-preventing part, wherein said skewing-preventing part of each piece is positioned laterally outside the landing zone.

4. (Original ) The absorbent product according to claim 1, wherein the skewing-preventing part of the first element is positioned at a distance of 0-120mm from a lateral side edge of the side portion on which it is attached.

5. (Currently Amended) ~~The~~ An absorbent product ~~according to claim 1,~~  
comprising:

a casing, an outer side of the casing being distal from a body of a wearer of the product in use and an inner side of the casing being proximal to the body of the wearer of the product in use, said casing having a front part, a rear part, a crotch part lying between the front part and rear part, and an absorbent structure; and

a fastening system for attaching opposing side portions of the front part and the rear part to each other;

the fastening system comprising at least two cooperating fastening elements, wherein a first of the elements functions as a landing zone for a second of the elements, and the first of the elements is attached to the front part of the casing;

and the first element comprises at least one skewing-preventing part, wherein the at least one skewing-preventing part is adapted to adhere to the rear part of the casing; and

wherein the skewing-preventing part is ~~part is~~ positioned at least partly outside a lateral side of the casing in the front part.

6. (Original) The absorbent product according to claim 1, wherein the skewing-preventing part is a hook material part capable of adhering to the inner side of the casing.

7. (Original) The absorbent product according to claim 1, wherein the landing zone comprises a loop material.

8. (Original) The absorbent product according to claim 1, wherein the second element comprises a hook material.

9. (Previously Presented) The absorbent product according to claim 1, wherein the skewing-preventing part is capable of adhering to a backing sheet material of side edges to which the second element is attached.

10. (Original) The absorbent product of claim 1, wherein the absorbent product is a diaper or an incontinence garment.